




Manhole cover PAMREX 800 Safety D400 class Round frame – Non ventilated



A	O	H	E	Total Mass	Cover mass	Packaging	References
1000 mm	800 mm	125 mm	115 mm	121 kg	73 kg	10	CDPA80EF





Material and coating:

- Frame in Ductile Iron EN GJS 400-15: bituminous coating
- Cover in Ductile Iron EN GJS 400-15: water base coating
- [Ring in elastomer](#)

Field of application:

- D400 class (Group 4) according to standard EN124-2, carriageways of roads, hard shoulders and parking areas for all types of road vehicles.
- Heavy traffic zones and frequent visits.

Main characteristics:

- Compliance with EN124-2:2015 testified by SG PAM as the standard allows it
- [Hinged cover and ergonomic handling box](#)
- Interchangeable covers
- Frame fitted for optimized bedding
- Opens to 130°, blocks at 90° when closing
- [Identification of the versions](#)
- [Operating Key C24](#)

Conformity:

Saint-Gobain PAM attests that:

- the above mentioned products are manufactured in compliance with specifications, materials & characteristics as per EN124-2 : 2015 standard
- the features and performances of the above mentioned products are controlled and comply with requirements of EN124-1 : 2015 standard

The PAM brand affixed on these related products materialises this attestation of conformity.

Security


- [Quarter turn locking system](#)
- [Limitation of the run-off water entries](#)
- [Opening / Closing assistance](#)



Accessories



PAMREX / VIATOP manhole covers




Identification of PAMREX manhole covers versions

Linked products




Elastomer Ring



¼ turn locks



Accessories for Manhole Covers: operating key C24 for PAMREX, VIATOP and VIATOP 2 Manhole covers



PAMREX and VIATOP 800 manhole covers -
Limitation of the streaming water entries



The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.