


## SOLE grating - D400 class - PMR Hinged grating - Rectangular frame



AxB	O1xO2	H	h	Total Mass	Grating mass	Waterway area	Packaging	References
725x430 mm	560x348 mm	80 mm	38 mm	35.47 kg	23 kg	10	10	EDSO64EFX16

Holes dimensions: width → 18mm - length → 80 to 129 mm



### Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

### Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on [originefrancegarantie.fr](http://originefrancegarantie.fr). The certification number is: BVCert 6026906.
- "Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin".»

### Field of application:

- D400 class (Group 4) according to standard EN124-2, carriageways of roads, hard shoulders and parking areas for all types of road vehicles.
- Omnidirectional punctual collection.

## Main characteristics:



- Articulated rectangular flat grating, opening to 115°.
- Frame with flanges on 3-sides for installation along a kerb.
- Automatic locking by ductile iron spring bar.
- Spacing between bars in compliance with French PMR regulations (<20 mm).
- Environmental awareness message: "EL MAR COMIENZA AQUÍ" (The sea begins here).

*The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.*